



BEAUMANIERE CLASSIC LIMESTONE

Description:

Oolitic limestone, light to medium beige, slightly amber. Ribbed fossil clusters with occasional copper swirls.

Finishes available:

Honed, patiné, antique, bush hammered

Physical properties			Class
Apparent density	Kg/m3	2,290	II
Porosity	%	13.97	II
Sound propagation speed	m/s	3400	
Resistance to fixation elements (3cm)	daN	197	
Compressive strength	Mpa	44	II
Bending strength	MPa		
Abrasion Resistance	mm	30.7	
Freeze thaw	cycles	>240	

Recommended Uses
Ashlar masonry:
Elevation, springing course, cornice, sill, base course.
Cladding:
Elevation, springing course, string course, sill, base course, coping.
Flooring:
Interior and exterior, residential use.

Production data		
Maximum project size	sqft	50,000
Slab size	inch	96" x 48"
Range of thickness feasible	inch	3/8"- 5"