



**POISEUL BEIGE LIMESTONE**

**Description:**

Light creamy beige background with some small fossils

**Finishes available:**

Honed, patiné, antique, bush hammered

Physical properties			Class
Apparent density	Kg/m3	2,430	II
Porosity	%	9.8	II
Sound propagation speed	m/s	4910	
Resistance to fixation elements (3cm)	daN	150	
Compressive strength	MPa	103	III
Bending strength	MPa		
Abrasion Resistance	mm	28.2	
Freeze thaw	cycles	>240	

Recommended Uses
<b>Ashlar masonry:</b>
Elevation, springing course, cornice, sill, base course.
<b>Cladding:</b>
Elevation, springing course, string course, sill, base course, coping.
<b>Flooring:</b>
Interior and exterior, medium traffic

Production data		
Maximum project size	sqft	100,000
Slab size	inch	96" x 48"
Range of thickness feasible	inch	3/8"- 5"